

JUMBLE 29"/27,5"

MONTANA
VKT

JUMBLE 29"/27,5"



Colori disponibili

C049 Grigio/Nero
C930 Grigio/Arancio

JUMBLE 29"/27,5"

MONTANA
VKT




JUMBLE 29"/27,5"



MONTANA
VKT

CODICE	TELAIO	FORCELLA	AMMORTIZZATORE	CAMBIO	COMANDI	GUARNITURA	CASSETTA	FRENI	MANUBRIO	RUOTE	GOMME	SELLA	REGGISELLA	MOTORE	BATTERIA	DISPLAY	PESO
Z8695 Sram NX 12v. RACE	MTB Full 27,5"/29" Alloy 6061 Hydroforming esc. 160mm	Formula Selva C esc 170mm	Formula MOD	Sram Nx	Sram Nx Trigger E-click	32T	Sram 11-50	Formula Cura 4 220/203	FSA Comet	Miche XMH-30 29"/27,5" 15/110 12/148 / Mavic Crossride	Maxxis Minion 29*2.5 / 27,5*2.60	San Marco GND	Telescopico Switch 100mm w/remote control	Polini EP3+ MX 90 Nm	Portapower 711Wh	Display al manubrio	
Z8695-2 Sram NX 12v. RACE	MTB Full 27,5"/29" Alloy 6061 Hydroforming esc. 160mm	Formula Selva C esc 170mm	Formula Mud	Sram Nx	Sram Nx Trigger E-click	32T	Sram 11-50	Formula Cura 4 220/203	FSA Comet	Miche XMH-30 29"/27,5" 15/110 12/148 / Mavic Crossride	Maxxis Minion 29*2.5 / 27,5*2.60	San Marco GND	Telescopico Switch 100mm w/remote control	Polini EP3+ MX EVO 90 Nm	Portapower 835Wh	Display al manubrio	24,9 kg
Z8675 Sram NX 12v.	MTB Full 27,5"/29" Alloy 6061 Hydroforming esc. 160mm axle 12	Rock Shox Yari 15/110 esc. 180mm	Rock Shox De Luxe Select	Sram Nx	Sram Nx Trigger E-click	32T	Sram 11-50	Shimano M-501 4 pistoni 203/180	Alloy	Miche XMH-30 29"/27,5" 15/110 12/148 / Mavic Crossride	Maxxis Minion 29*2.5 / 27,5*2.60	San Marco GND	Telescopico w/remote control	Polini EP3+ MX 90 Nm	Portapower 711Wh	Display al manubrio	24,7 kg
Z8675-2 Sram NX 12v.	MTB Full 27,5"/29" Alloy 6061 Hydroforming esc. 160mm axle 12	Rock Shox Yari 15/110 esc. 180mm	Rock Shox Deluxe Select	Sram Nx	Sram Nx Trigger E-click	32T	Sram 11-50	Shimano M-501 4 pistoni 203/180	Alloy	Miche XMH-30 29"/27,5" 15/110 12/148 / Mavic Crossride	Maxxis Minion 29*2.5 / 27,5*2.60	San Marco GND	Telescopico w/remote control	Polini EP3+ MX EVO 90 Nm	Portapower 835Wh	Display al manubrio	24,7 kg
Z8660 Sram SX 12v.	MTB Full 27,5"/29" Alloy 6061 Hydroforming esc. 160mm	Rock Shox 35 TK 15/110 esc. 160mm	Rock Shox Deluxe Select	Sram SX	Sram SX Trigger E-click	32T	Sram 11-50	Shimano M-501 4 pistoni 203/180	Alloy	Mov 29"/27,5" 15/110 12/148	Kenda 29*2.6 / 27,5*2.60	San Marco GND	Telescopico Transix	Polini EP3+ MX 90 Nm	Portapower 711Wh	Display al manubrio	
Z8660-2 Sram SX 12v	MTB Full 27,5"/29" Alloy 6061 Hydroforming esc. 160mm	Rock Shox 35 TK 15/110 esc. 160mm	Rock Shox Deluxe Select	Sram SX	Sram SX Trigger E-click	32T	Sram 11-50	Shimano M-501 4 pistoni 203/180	Alloy	Mov 29"/27,5" 15/110 12/148	Kenda 29*2.6 / 27,5*2.60	San Marco GND	Telescopico Transix	Polini EP3+ MX EVO 90 Nm	Portapower 835Wh	Display al manubrio	
OPTIONAL																	
Z8695-1 Ruote 29" /29"		Z8695-21 Ruote 29" /29"			Z8675-1 Ruote 29" /29"				Z8675-21 Ruote 29" /29"			Z8660-1 Ruote 29" /29"			Z8660-21 Ruote 29" /29"		
Z8695-3 Shimano XT 12V.		Z8695-23 Shimano XT 12V.			Z8675-3 Shimano XT 12V.				Z8675-23 Shimano XT 12V.			Z8660-3 Shimano Deore 11V.			Z8660-23 Shimano Deore 11V.		
C/ruote 29"/29" e gomme Kenda 29x2,50																	



SIZE	S	M	L
HR	400	440	480
LT	575,5	601,3	626,4
RC	455,3	455,3	455,3
a°	65,5°	65,5°	65,5°
b°	75,5°	75,5°	75,5°
S	110	110	130
REACH	416,1	441,8	462